eD

	Application No.	Applicant(s)
Notice of Allowability	10/573,574	PRUM, SEBASTIAN ALOIS
	Examiner	Art Unit
	Hemant M. Desai	3721
	Hemani W. Desai	3/21
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment filed on 12/13/2007</u> .		
2. The allowed claim(s) is/are 13-16 and 18-27.		
 3.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🗍 to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
		·
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal F	Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	
3. ☐ Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. 🛛 Examiner's Amendi	te
Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	
	•	

10/573,574 Art Unit: 3721

EXAMINER'S AMENDMENT

- 1. The drawings were received on 12/31/2007. These drawings are accepted.
- 2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Douglas Hanscom on 1/22/2008.

The application has been amended as follows:

The title has been changed to -- GRIPPER CYLINDER IN A FOLDING APPARATUS --

In the Claims:

Replace "claim 17", claim 18, line 1, with -- claim 13 --.

Replace "claim 17", claim 19, line 1, with -- claim 13 --.

Replace "claim 17", claim 20, line 1, with -- claim 13 --.

REASONS FOR ALLOWANCE

3. The following is an examiner's statement of reasons for allowance: Belanger fails to disclose the claimed folding cylinder, including: the gripper being pivoted about the first shaft for movement between the lowered position and the extended position, a first arm pivotabel about the first shaft, a first pivot shaft supported by the first arm and being movable radially in the cylinder body, and a second shaft having second shaft axis of

Application/Control Number:

10/573,574 Art Unit: 3721

rotation different from the cylinder body axis of rotation, the gripper being moved with respect to the second shaft in a circumferential direction of the cylinder body.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hemant M. Desai whose telephone number is (571) 272-4458. The examiner can normally be reached on 6:30 AM-5:00 PM, Mon-Thurs..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rinaldi I. Rada can be reached on (571) 272-4467. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Hemant M. Dosh.
HEMANT M. DESAI
PRIMARY EXAMINER